


1




Flange EN 1092-1
Flanges EN 1092-1






Flangia piana EN 1092-1 
tipo 01A/PN6 - Acciaio inox forgiato
Flat flange EN 1092-1 Type 01A - Stainless steel 



DN	Cod.	€.	ø Tubo	ø d1	a	D	b	f	Viti	nr. fori	Kg.
15	4516015	8,20	21,3	22	55	80	12	11	M10	4	0,40
20	4516020	8,37	26,9	27,5	65	90	14	11	M10	4	0,59
25	4516025	10,74	33,7	34,5	75	100	14	11	M10	4	0,72
32	4516032	17,00	42,4	43,5	90	120	16	14	M12	4	1,16
40	4516040	19,63	48,3	49,5	100	130	16	14	M12	4	1,35
50	4516050	20,93	60,3	61,5	110	140	16	14	M12	4	1,48
65	4516065	28,78	76,1	77,5	130	160	16	14	M12	4	1,86
80	4516080	44,46	88,9	90,5	150	190	18	18	M16	4	2,95
100	4516100	43,16	114,3	116	170	210	18	18	M16	4	3,26
125	4516125	65,39	139,7	141,5	200	240	20	18	M16	8	4,31
150	4516150	67,99	168,3	170,5	225	265	20	18	M16	8	4,76
200	4516200	95,47	219,1	221,5	280	320	22	18	M16	8	6,88
250	4516250	115,08	273	276,5	335	375	24	18	M16	12	8,92
300	4516300	162,16	323,9	327,5	395	440	24	22	M20	12	11,90
350	4516350	261,53	355,6	359,5	445	490	26	22	M20	12	16,80
400	4516400	313,85	406,4	411	495	540	28	22	M20	16	19,80
450	4516450	444,60	457	462	550	595	30	22	M20	16	24,60
500	4516500	405,39	508	513,5	600	645	30	22	M20	20	26,40




Flangia piana EN 1092-1 
tipo 01A/PN10 - Acciaio inox forgiato
Flat flange EN 1092-1 Type 01A - Stainless steel 



DN	Cod.	€.	ø Tubo	ø d1	a	D	b	f	Viti	nr. fori	Kg.
15	Vedi PN 16	Vedi PN 16	21,3	22	65	95	14	14	M12	4	0,67
20			26,9	27,5	75	105	16	14	M12	4	0,94
25			33,7	34,5	85	115	16	14	M12	4	1,11
32			42,4	43,5	100	140	18	18	M16	4	1,82
40			48,3	49,5	110	150	18	18	M16	4	2,08
50			60,3	61,5	125	165	20	18	M16	4	2,73
65			76,1	77,5	145	185	20	18	M16	4 / 8	3,16
80	45110080	43,91	88,9	90,5	160	200	20	18	M16	4 / 8	3,60
100	Vedi PN 16	Vedi PN 16	114,3	116	180	220	22	18	M16	8	4,39
125			139,7	141,5	210	250	22	18	M16	8	5,41
150			168,3	170,5	240	285	24	22	M20	8	7,14
200	45110200	109,85	219,1	221,5	295	340	24	22	M20	8	9,27
250	45110250	151,68	273	276,5	350	395	26	22	M20	12	11,80
300	45110300	172,61	323,9	327,5	400	445	26	22	M20	12	13,60
350	45110350	287,69	355,6	359,5	460	505	30	22	M20	16	20,40
400	45110400	353,08	406,4	411	515	565	32	26	M24	16	27,50
450	45110450	470,76	457	462	565	615	36	26	M24	20	33,60
500	45110500	596,31	508	513,5	620	670	38	26	M24	20	40,20




Flangia piana EN 1092-1 
tipo 01A/PN16 - Acciaio inox forgiato
Flat flange EN 1092-1 Type 01A - Stainless steel 




DN	Cod.	€.	ø Tubo	ø d1	a	D	b	f	Viti	nr. fori	Kg.
15	45116015	8,11	21,3	22	65	95	14	14	M12	4	0,67
20	45116020	12,04	26,9	27,5	75	105	16	14	M12	4	0,94
25	45116025	13,60	33,7	34,5	85	115	16	14	M12	4	1,11
32	45116032	24,08	42,4	43,5	100	140	18	18	M16	4	1,82
40	45116040	27,72	48,3	49,5	110	150	18	18	M16	4	2,08
50	45116050	32,68	60,3	61,5	125	165	20	18	M16	4	2,73
65	45116065.4F	39,75	76,1	77,5	145	185	20	18	M16	4	3,16
65	45116065	39,75	76,1	77,5	145	185	20	18	M16	8	3,16
80	45116080	40,53	88,9	90,5	160	200	20	18	M16	8	3,60
100	45116100	49,69	114,3	116	180	220	22	18	M16	8	4,39
125	45116125	58,84	139,7	141,5	210	250	22	18	M16	8	5,41
150	45116150	83,69	168,3	170,5	240	285	24	22	M20	8	7,14
200	45116200	115,08	219,1	221,5	295	340	26	22	M20	12	9,73
250	45116250	167,39	273	276,5	355	405	29	26	M24	12	14,20
300	45116300	248,46	323,9	327,5	410	460	32	26	M24	12	19,00
350	45116350	340,00	355,6	359,5	470	520	35	26	M24	16	28,20
400	45116400	496,61	406,4	411	525	580	38	30	M27	16	35,90
450	45116450	850,35	457	462	585	640	42	30	M27	20	46,10
500	45116500	880,66	508	513,5	650	715	46	33	M30	20	64,0




Flangia piana EN 1092-1 
tipo 01A/PN40 - Acciaio inox forgiato
Flat flange EN 1092-1 Type 01A - Stainless steel 



DN	Cod.	€.	ø Tubo	ø d1	a	D	b	f	Viti	nr. fori	Kg.
15	Vedi PN 16	Vedi PN 16	21,3	22	65	95	14	14	M12	4	0,67
20			26,9	27,5	75	105	16	14	M12	4	0,94
25			33,7	34,5	85	115	16	14	M12	4	1,11
32			42,4	43,5	100	140	18	18	M16	4	1,82
40			48,3	49,5	110	150	18	18	M16	4	2,08
50	45140050	42,90	60,3	61,5	125	165	20	18	M16	4	2,73
65	45140065	43,16	76,1	77,5	145	185	22	18	M16	8	3,48
80	45140080	54,91	88,9	90,5	160	200	24	18	M16	8	4,32
100	45140100	70,62	114,3	116	190	235	26	22	M20	8	6,07
125	45140125	120,30	139,7	141,5	220	270	28	26	M24	8	8,19
150	45140150	136,01	168,3	170,5	250	300	30	26	M24	8	10,30
200	45140200	261,53	219,1	221,5	320	375	36	30	M27	12	17,90




Flangia piana EN 1092-1
tipo 01B/PN6 - PN10 - PN16 - Acciaio inox forgiato
Flat flange EN 1092-1 Type 01B - Stainless steel



DN	PN 6				PN 10				PN 16			
	Cod.	€.	a	c	Cod.	€.	a	c	Cod.	€.	a	c
15	451B6015	a richiesta	2	40	Vedi PN 16	Vedi PN 16	2	45	451B16015	8,37	2	45
20	451B6020	a richiesta	2	50			2	58	451B16020	12,82	2	58
25	451B6025	a richiesta	2	60			2	68	451B16025	13,60	2	68
32	451B6032	a richiesta	2	70			2	78	451B16032	25,90	2	78
40	451B6040	a richiesta	3	80			3	88	451B16040	27,72	3	88
50	451B6050	a richiesta	3	90			3	102	451B16050	32,68	3	102
65	-	-	-	-			3	122	451B16065.4F	40,79	3	122
65	451B6065	a richiesta	3	110	Vedi PN 16	Vedi PN 16	3	122	451B16065	39,75	3	122
80	451B6080	a richiesta	3	128			3	138	451B16080	43,16	3	138
100	451B6100	a richiesta	3	148			3	158	451B16100	52,31	3	158
125	451B6125	a richiesta	3	178			3	188	451B16125	61,46	3	188
150	451B6150	a richiesta	3	202			3	212	451B16150	83,69	3	212
200	451B6200	a richiesta	3	258			3	268	451B16200	177,70	3	268
250	451B6250	a richiesta	3	312			3	320	451B16250	177,84	3	320
300	451B6300	a richiesta	4	365	451B10300	194,08	4	370	451B16300	256,31	4	378
350	451B6350	a richiesta	4	415	451B10350	a richiesta	4	430	451B16350	a richiesta	4	438
400	451B6400	a richiesta	4	465	451B10400	a richiesta	4	482	451B16400	a richiesta	4	490




Flangia libera EN 1092-1 
tipo 02/PN16 - Acciaio inox forgiato
Lap joint flange EN 1092-1 - Stainless steel 



DN	Cod.	€.	ø Tubo	a	D	b	d2	f	t	Viti	nr. fori	Kg.
15	35216015	8,27	21,3	65	95	14	25	14	4	M12	4	0,67
20	35216020	12,25	26,9	75	105	16	31	14	4	M12	4	0,94
25	35216025	13,94	33,7	85	115	16	38	14	4	M12	4	1,11
32	35216032	18,40	42,4	100	140	18	47	18	4	M16	4	1,82
40	35216040	21,80	48,3	110	150	18	53	18	4	M16	4	2,08
50	35216050	32,35	60,3	125	165	20	65	18	4	M16	4	2,73
65	35216065.4F	42,89	76,1	145	185	20	81	18	4	M16	4	3,16
65	35216065	42,89	76,1	145	185	20	81	18	4	M16	8	3,16
80	35216080	47,65	88,9	160	200	20	94	18	5	M16	8	3,60
100	35216100	54,95	114,3	180	220	22	120	18	5	M16	8	4,39
125	35216125	69,23	139,7	210	250	22	145	18	5	M16	8	5,41
150	35216150	87,93	168,3	240	285	24	174	22	5	M20	8	7,14
200	35216200	130,95	219,1	295	340	26	226	22	5	M20	12	9,73
250	35216250	214,59	273	355	405	29	281	26	5	M24	12	14,20
300	35216300	289,47	323,9	410	460	32	333	26	5	M24	12	19,00





Flangia stampata EN 1092-1 DIN 2642 
tipo 02/PN 16 - Acciaio inox
Pressed flange EN1092-1 DIN 2642 
type 02/PN16 - Stainless steel



DN	Cod.	€.	ø Tubo	D	d	a	b	f	s	nr. fori
15	450015	3,55	21,3	95	24	65	12	13,5	3	4
20	450020	4,45	26,9	105	30	75	14	13,5	3	4
25	450025	5,30	33,7	115	37	85	16	13,5	3	4
32	450032	8,11	42,4	140	46	100	16	17,5	3	4
40	450040	11,39	48,3	150	54	110	17,5	18	4	4
50	450050	13,34	60,3	165	65	125	19,5	18	4	4
65	450065	17,04	76,1	185	81	145	21,5	18	4	4
80	450080	18,30	88,9	200	94	160	24,5	18	4	8
100	450100	19,74	114,3	220	119	180	22	18	4	8
125	450125	32,10	139,7	250	145	210	22	18	5	8
150	450150	38,47	168,3	285	174	240	26	22	5	8
200	450200	76,19	219,1	340	225	295	28	22	6	12



Flangia a collarino EN 1092-1
tipo 11B/PN10 - PN16 - Acciaio inox forgiato
Welding neck flange EN 1092-1




PN 10																		
DN	Cod.	€.	ø Tubo	d1	D	a	m	c	h	b	h1	e	r	s	f	Viti	nr. fori	Kg.
80	45410080	a richiesta	88,9	88,9	200	160	105	138	50	20	10	3	6	3,2	18	M16	4	3,92
200	45410200	151,68	219,1	219,1	340	295	234	268	62	24	16	3	10	6,3	22	M20	8	11,60
250	45410250	222,30	273	273	395	350	292	320	68	26	16	3	12	6,3	22	M20	12	15,80
300	45410300	274,61	323,9	323,9	445	400	342	370	68	26	16	4	12	7,1	22	M20	12	18,30

PN 16																		
DN	Cod.	€.	ø Tubo	d1	D	a	m	c	h	b	h1	e	r	s	f	Viti	nr. fori	Kg.
15	45416015	11,91	21,3	21,3	95	65	32	45	38	16	6	2	4	2,0	14	M12	4	0,77
20	45416020	16,48	26,9	26,9	105	75	40	58	40	18	6	2	4	2,3	14	M12	4	1,09
25	45416025	20,93	33,7	33,7	115	85	46	68	40	18	6	2	4	2,6	14	M12	4	1,30
32	45416032	25,64	42,4	42,4	140	100	56	78	42	18	6	2	6	2,6	18	M16	4	1,91
40	45416040	30,08	48,3	48,3	150	110	64	88	45	18	7	3	6	2,6	18	M16	4	2,15
50	45416050	32,68	60,3	60,3	165	125	74	102	45	18	8	3	6	2,9	18	M16	4	2,53
65	45416065.4F	40,53	76,1	76,1	185	145	92	122	45	18	10	3	6	2,9	18	M16	4	3,03
65	45416065	43,16	76,1	76,1	185	145	92	122	45	18	10	3	6	2,9	18	M16	8	3,03
80	45416080	47,06	88,9	88,9	200	160	105	138	50	20	10	3	6	3,2	18	M16	8	3,92
100	45416100	58,84	114,3	114,3	220	180	131	158	52	20	12	3	8	3,6	18	M16	8	4,62
125	45416125	86,32	139,7	139,7	250	210	156	188	55	22	12	3	8	4,0	18	M16	8	6,30
150	45416150	99,37	168,3	168,3	285	240	184	212	55	22	12	3	10	4,5	22	M20	8	7,81
200	45416200	156,91	219,1	219,1	340	295	235	268	62	24	16	3	10	6,3	22	M20	12	11,50
250	45416250	240,63	273	273	405	355	292	320	70	26	16	3	12	6,3	26	M24	12	16,70
300	45416300	a richiesta	323,9	323,9	460	410	344	378	78	28	16	4	12	7,1	26	M24	12	22,10



**Flangia a collarino EN 1092-1
tipo 11B/PN40 - Acciaio inox forgiato**


*Welding neck flange EN 1092-1
Type 11B - Stainless steel*



DN	Cod.	€.	ø Tubo	d1	D	a	m	c	h	b	h1	e	r	s	f	Viti	nr. fori	Kg.
15	Vedi PN 16	Vedi PN 16	21,3	21,3	95	65	32	45	38	16	6	2	4	2,0	14	M12	4	0,77
20			26,9	26,9	105	75	40	58	40	18	6	2	4	2,3	14	M12	4	1,09
25			33,7	33,7	115	85	46	68	40	18	6	2	4	2,6	14	M12	4	1,30
32			42,4	42,4	140	100	56	78	42	18	6	2	6	2,6	18	M16	4	1,91
40			48,3	48,3	150	110	64	88	45	18	7	3	6	2,6	18	M16	4	2,15
50	45440050	41,86	60,3	60,3	165	125	75	102	48	20	8	3	6	2,9	18	M16	4	2,85
65	45440065	57,54	76,1	76,1	185	145	90	122	52	22	10	3	6	2,9	18	M16	8	3,68
80	45440080	79,07	88,9	88,9	200	160	105	138	58	24	12	3	8	3,2	18	M16	8	4,78
100	45440100	96,77	114,3	114,3	235	190	134	162	65	24	12	3	8	3,6	22	M20	8	6,46
125	45440125	169,00	139,7	139,7	270	220	162	188	68	26	12	3	8	4,0	26	M24	8	8,86
150	45440150	174,64	168,3	168,3	300	250	192	218	75	28	12	3	10	4,5	26	M24	8	11,70
200	45440200	306,48	219,1	219,1	375	320	244	285	88	34	16	3	10	6,3	30	M27	12	21,00
250	45440250	a richiesta	273	273	450	385	306	345	105	38	18	3	12	7,1	33	M30	12	34,20
300	45440300	a richiesta	323,9	323,9	515	450	362	410	115	42	18	4	12	8	33	M30	16	47,60



Flangia cieca EN 1092-1 
tipo 05A/PN10 - PN16 - Acciaio inox forgiato
Blind flange EN 1092-1 Type 05A - Stainless steel 




PN 10									
DN	Cod.	€.	a	D	b	f	Viti	nr. fori	Kg.
80	45510080	a richiesta	160	200	20	18	M16	4	4,61
200	45510200	209,22	295	340	24	22	M20	8	16,50
250	45510250	313,85	350	395	26	22	M20	12	24,10
300	45510300	392,31	400	445	26	22	M20	12	30,80

PN 16									
DN	Cod.	€.	a	D	b	f	Viti	nr. fori	Kg.
15	45516015	11,00	65	95	16	14	M12	4	0,81
20	45516020	15,18	75	105	18	14	M12	4	1,14
25	45516025	19,08	85	115	18	14	M12	4	1,38
32	45516032	26,88	100	140	18	18	M16	4	2,03
40	45516040	29,86	110	150	18	18	M16	4	2,35
50	45516050	36,61	125	165	18	18	M16	4	2,88
65	45516065.4F	47,06	145	185	18	18	M16	4	3,51
65	45516065	48,39	145	185	18	18	M16	8	3,51
80	45516080	54,91	160	200	20	18	M16	8	4,61
100	45516100	74,54	180	220	20	18	M16	8	5,65
125	45516125	104,60	210	250	22	18	M16	8	8,13
150	45516150	128,15	240	285	22	22	M20	8	10,50
200	45516200	211,85	295	340	24	22	M20	12	16,20
250	45516250	313,85	355	405	26	26	M24	12	25,00
300	45516300	457,70	410	460	28	26	M24	12	35,10




Flangia piana EN 1092-1 
tipo 01A/PN6 - Acciaio inox forgiato
Flat flange EN 1092-1 Type 01A - Stainless steel 



DN	Cod.	€.	ø Tubo	ø d1	a	D	b	f	Viti	nr. fori	Kg.
15	6516015	12,17	21,3	22	55	80	12	11	M10	4	0,40
20	6516020	11,00	26,9	27,5	65	90	14	11	M10	4	0,59
25	6516025	15,68	33,7	34,5	75	100	14	11	M10	4	0,72
32	6516032	24,75	42,4	43,5	90	120	16	14	M12	4	1,16
40	6516040	26,16	48,3	49,5	100	130	16	14	M12	4	1,35
50	6516050	29,28	60,3	61,5	110	140	16	14	M12	4	1,48
65	6516065	38,71	76,1	77,5	130	160	16	14	M12	4	1,86
80	6516080	56,24	88,9	90,5	150	190	18	18	M16	4	2,95
100	6516100	62,76	114,3	116	170	210	18	18	M16	4	3,26
125	6516125	74,54	139,7	141,5	200	240	20	18	M16	8	4,31
150	6516150	94,15	168,3	170,5	225	265	20	18	M16	8	4,76
200	6516200	129,45	219,1	221,5	280	320	22	18	M16	8	6,88
250	6516250	198,77	273	276,5	335	375	24	18	M16	12	8,92
300	6516300	261,53	323,9	327,5	395	440	24	22	M20	12	11,90
350	6516350	379,24	355,6	359,5	445	490	26	22	M20	12	16,80
400	6516400	413,22	406,4	411	495	540	28	22	M20	16	19,80
450	6516450	536,17	457	462	550	595	30	22	M20	16	24,60
500	6516500	614,64	508	513,5	600	645	30	22	M20	20	26,40




Flangia piana EN 1092-1 
tipo 01A/PN10 - Acciaio inox forgiato
Flat flange EN 1092-1 Type 01A - Stainless steel 



DN	Cod.	€.	ø Tubo	ø d1	a	D	b	f	Viti	nr. fori	Kg.
15	Vedi PN 16	Vedi PN 16	21,3	22	65	95	14	14	M12	4	0,67
20			26,9	27,5	75	105	16	14	M12	4	0,94
25			33,7	34,5	85	115	16	14	M12	4	1,11
32			42,4	43,5	100	140	18	18	M16	4	1,82
40			48,3	49,5	110	150	18	18	M16	4	2,08
50			60,3	61,5	125	165	20	18	M16	4	2,73
65			76,1	77,5	145	185	20	18	M16	4 / 8	3,16
80	65110080	a richiesta	88,9	90,5	160	200	20	18	M16	4	3,60
100	Vedi PN 16	Vedi PN 16	114,3	116	180	220	22	18	M16	8	4,39
125			139,7	141,5	210	250	22	18	M16	8	5,41
150			168,3	170,5	240	285	24	22	M20	8	7,14
200	65110200	151,68	219,1	221,5	295	340	24	22	M20	8	9,27
250	65110250	214,47	273	276,5	350	395	26	22	M20	12	11,80
300	65110300	248,46	323,9	327,5	400	445	26	22	M20	12	13,60
350	65110350	431,55	355,6	359,5	460	505	30	22	M20	16	20,40
400	65110400	549,22	406,4	411	515	565	32	26	M24	16	27,50
450	65110450	706,16	457	462	565	615	36	26	M24	20	33,60
500	65110500	784,60	508	513,5	620	670	38	26	M24	20	40,20




Flangia piana EN 1092-1 
tipo 01A/PN16 - Acciaio inox forgiato
Flat flange EN 1092-1 Type 01A - Stainless steel 




DN	Cod.	€.	ø Tubo	ø d1	a	D	b	f	Viti	nr. fori	Kg.
15	65116015	13,60	21,3	22	65	95	14	14	M12	4	0,67
20	65116020	19,27	26,9	27,5	75	105	16	14	M12	4	0,94
25	65116025	21,19	33,7	34,5	85	115	16	14	M12	4	1,11
32	65116032	31,90	42,4	43,5	100	140	18	18	M16	4	1,82
40	65116040	38,97	48,3	49,5	110	150	18	18	M16	4	2,08
50	65116050	52,31	60,3	61,5	125	165	20	18	M16	4	2,73
65	65116065.4F	58,84	76,1	77,5	145	185	20	18	M16	4	3,16
65	65116065	57,54	76,1	77,5	145	185	20	18	M16	8	3,16
80	65116080	62,76	88,9	90,5	160	200	20	18	M16	8	3,60
100	65116100	79,77	114,3	116	180	220	22	18	M16	8	4,39
125	65116125	104,60	139,7	141,5	210	250	22	18	M16	8	5,41
150	65116150	130,78	168,3	170,5	240	285	24	22	M20	8	7,14
200	65116200	179,14	219,1	221,5	295	340	26	22	M20	12	9,73
250	65116250	274,61	273	276,5	355	405	29	26	M24	12	14,20
300	65116300	366,16	323,9	327,5	410	460	32	26	M24	12	19,00
350	65116350	562,30	355,6	359,5	470	520	35	26	M24	16	28,20
400	65116400	719,24	406,4	411	525	580	38	30	M27	16	35,90
450	65116450	1222,21	457	462	585	640	42	30	M27	20	46,10
500	65116500	1255,38	508	513,5	650	715	46	33	M30	20	64,00




Flangia piana EN 1092-1 
tipo 01A/PN40 - Acciaio inox forgiato
Flat flange EN 1092-1 Type 01A - Stainless steel 



DN	Cod.	€.	ø Tubo	ø d1	a	D	b	f	Viti	nr. fori	Kg.
15	Vedi PN 16	Vedi PN 16	21,3	22	65	95	14	14	M12	4	0,67
20			26,9	27,5	75	105	16	14	M12	4	0,94
25			33,7	34,5	85	115	16	14	M12	4	1,11
32			42,4	43,5	100	140	18	18	M16	4	1,82
40			48,3	49,5	110	150	18	18	M16	4	2,08
50	65140050	52,26	60,3	61,5	125	165	20	18	M16	4	2,73
65	65140065	62,76	76,1	77,5	145	185	22	18	M16	8	3,48
80	65140080	82,37	88,9	90,5	160	200	24	18	M16	8	4,32
100	65140100	115,08	114,3	116	190	235	26	22	M20	8	6,07
125	65140125	151,68	139,7	141,5	220	270	28	26	M24	8	8,19
150	65140150	196,17	168,3	170,5	250	300	30	26	M24	8	10,30
200	65140200	340,00	219,1	221,5	320	375	36	30	M27	12	17,90




Flangia piana EN 1092-1
tipo 01B/PN6 - PN10 - PN16 Acciaio inox forgiato
Flat flange EN 1092-1 Type 01B - Stainless steel



DN	Cod.	PN 6			Cod.	PN 10			Cod.	PN 16		
		€.	a	c		€.	a	c		€.	a	c
15	651B6015	a richiesta	2	40	Vedi PN 16	Vedi PN 16	2	45	651B16015	13,60	2	45
20	651B6020	a richiesta	2	50			2	58	651B16020	18,30	2	58
25	651B6025	a richiesta	2	60			2	68	651B16025	22,23	2	68
32	651B6032	a richiesta	2	70			2	78	651B16032	34,01	2	78
40	651B6040	a richiesta	3	80			3	88	651B16040	38,97	3	88
50	651B6050	a richiesta	3	90			3	102	651B16050	47,80	3	102
65	-	-	-	-			3	122	651B16065.4F	58,84	3	122
65	651B6065	a richiesta	3	110	Vedi PN 16	Vedi PN 16	3	122	651B16065	57,54	3	122
80	651B6080	a richiesta	3	128			3	138	651B16080	65,39	3	138
100	651B6100	a richiesta	3	148			3	158	651B16100	82,37	3	158
125	651B6125	a richiesta	3	178			3	188	651B16125	107,22	3	188
150	651B6150	a richiesta	3	202			3	212	651B16150	130,78	3	212
200	651B6200	a richiesta	3	258			3	268	651B16200	177,84	3	268
250	651B6250	a richiesta	3	312			3	320	651B16250	274,61	3	320
300	651B6300	a richiesta	4	365			4	370	651B16300	366,16	4	378
350	651B6350	a richiesta	4	415			4	430	651B16350	a richiesta	4	438
400	651B6400	a richiesta	4	465			4	482	651B16400	a richiesta	4	490



Flangia libera EN 1092-1 
tipo 02/PN16 Acciaio inox forgiato
Lap joint flange EN 1092-1 - Stainless steel 




DN	Cod.	€.	ø Tubo	a	D	b	d2	f	t	Viti	nr. fori	Kg.
15	55216015	14,95	21,3	65	95	14	25	14	4	M12	4	0,67
20	55216020	18,43	26,9	75	105	16	31	14	4	M12	4	0,94
25	55216025	20,18	33,7	85	115	16	38	14	4	M12	4	1,11
32	55216032	33,06	42,4	100	140	18	47	18	4	M16	4	1,82
40	55216040	37,81	48,3	110	150	18	53	18	4	M16	4	2,08
50	55216050	49,64	60,3	125	165	20	65	18	4	M16	4	2,73
65	55216065.4F	57,44	76,1	145	185	20	81	18	4	M16	4	3,16
65	55216065	57,44	76,1	145	185	20	81	18	4	M16	8	3,16
80	55216080	65,45	88,9	160	200	20	94	18	5	M16	8	3,60
100	55216100	79,81	114,3	180	220	22	120	18	5	M16	8	4,39
125	55216125	98,36	139,7	210	250	22	145	18	5	M16	8	5,41
150	55216150	129,80	168,3	240	285	24	174	22	5	M20	8	7,14
200	55216200	184,89	219,1	295	340	26	226	22	5	M20	12	9,73
250	55216250	289,35	273	355	405	29	281	26	5	M24	12	14,20
300	55216300	382,31	323,9	410	460	32	333	26	5	M24	12	19,00



**Flangia a collarino EN 1092-1
tipo 11B/PN10 - PN16 - Acciaio inox forgiato**

*Welding neck flange EN 1092-1
Type 11B - Stainless steel*




PN 10																		
DN	Cod.	€.	Ø Tubo	d1	D	a	m	c	h	b	h1	e	r	s	f	Viti	nr. fori	Kg.
80	65410080	a richiesta	88,9	88,9	200	160	105	138	50	20	10	3	6	3,2	18	M16	4	3,92
200	65410200	219,70	219,1	219,1	340	295	234	268	62	24	16	3	10	6,3	22	M20	8	11,60
250	65410250	a richiesta	273	273	395	350	292	320	68	26	16	3	12	6,3	22	M20	12	15,80
300	65410300	a richiesta	323,9	323,9	445	400	342	370	68	26	16	4	12	7,1	22	M20	12	18,30

PN 16																		
DN	Cod.	€.	Ø Tubo	d1	D	a	m	c	h	b	h1	e	r	s	f	Viti	nr. fori	Kg.
15	65416015	17,00	21,3	21,3	95	65	32	45	38	16	6	2	4	2,0	14	M12	4	0,77
20	65416020	23,53	26,9	26,9	105	75	40	58	40	18	6	2	4	2,3	14	M12	4	1,09
25	65416025	27,46	33,7	33,7	115	85	46	68	40	18	6	2	4	2,6	14	M12	4	1,30
32	65416032	37,91	42,4	42,4	140	100	56	78	42	18	6	2	6	2,6	18	M16	4	1,91
40	65416040	43,61	48,3	48,3	150	110	64	88	45	18	7	3	6	2,6	18	M16	4	2,15
50	65416050	49,69	60,3	60,3	165	125	74	102	45	18	8	3	6	2,9	18	M16	4	2,53
65	65416065.4F	60,14	76,1	76,1	185	145	92	122	45	18	10	3	6	2,9	18	M16	4	3,03
65	65416065	62,76	76,1	76,1	185	145	92	122	45	18	10	3	6	2,9	18	M16	8	3,03
80	65416080	75,84	88,9	88,9	200	160	105	138	50	20	10	3	6	3,2	18	M16	8	3,92
100	65416100	87,62	114,3	114,3	220	180	131	158	52	20	12	3	8	3,6	18	M16	8	4,62
125	65416125	112,45	139,7	139,7	250	210	156	188	55	22	12	3	8	4,0	18	M16	8	6,30
150	65416150	151,68	168,3	168,3	285	240	184	212	55	22	12	3	10	4,5	22	M20	8	7,81
200	65416200	230,15	219,1	219,1	340	295	235	268	62	24	16	3	10	6,3	22	M20	12	11,50
250	65416250	a richiesta	273	273	405	355	292	320	70	26	16	3	12	6,3	26	M24	12	16,70
300	65416300	a richiesta	323,9	323,9	460	410	344	378	78	28	16	4	12	7,1	26	M24	12	22,10



**Flangia a collarino EN 1092-1
tipo 11B/PN40 - Acciaio inox forgiato**


*Welding neck flange EN 1092-1
Type 11B - Stainless steel*



DN	Cod.	€.	ø Tubo	d1	D	a	m	c	h	b	h1	e	r	s	f	Viti	nr. fori	Kg.
15	Vedi PN 16	Vedi PN 16	21,3	21,3	95	65	32	45	38	16	6	2	4	2,0	14	M12	4	0,77
20			26,9	26,9	105	75	40	58	40	18	6	2	4	2,3	14	M12	4	1,09
25			33,7	33,7	115	85	46	68	40	18	6	2	4	2,6	14	M12	4	1,30
32			42,4	42,4	140	100	56	78	42	18	6	2	6	2,6	18	M16	4	1,91
40			48,3	48,3	150	110	64	88	45	18	7	3	6	2,6	18	M16	4	2,15
50	65440050	57,54	60,3	60,3	165	125	75	102	48	20	8	3	6	2,9	18	M16	4	2,85
65	65440065	73,24	76,1	76,1	185	145	90	122	52	22	10	3	6	2,9	18	M16	8	3,68
80	65440080	92,85	88,9	88,9	200	160	105	138	58	24	12	3	8	3,2	18	M16	8	4,78
100	65440100	128,15	114,3	114,3	235	190	134	162	65	24	12	3	8	3,6	22	M20	8	6,46
125	65440125	178,20	139,7	139,7	270	220	162	188	68	26	12	3	8	4,0	26	M24	8	8,86
150	65440150	235,38	168,3	168,3	300	250	192	218	75	28	12	3	10	4,5	26	M24	8	11,70
200	65440200	a richiesta	219,1	219,1	375	320	244	285	88	34	16	3	10	6,3	30	M27	12	21,00
250	65440250	a richiesta	273	273	450	385	306	345	105	38	18	3	12	7,1	33	M30	12	34,20
300	65440300	a richiesta	323,9	323,9	515	450	362	410	115	42	18	4	12	8	33	M30	16	47,60



Flangia cieca EN 1092-1
tipo 05A/PN10 - PN16 - Acciaio inox forgiato
Blind flange EN 1092-1 Type 05A - Stainless steel



PN 10									
DN	Cod.	€.	a	D	b	f	Viti	nr. fori	Kg.
80	65510080	a richiesta	160	200	20	18	M16	4	4,61
200	65510200	313,85	295	340	24	22	M20	8	16,50
250	65510250	483,83	350	395	26	22	M20	12	24,10
300	65510300	549,22	400	445	26	22	M20	12	30,80

PN 16									
DN	Cod.	€.	a	D	b	f	Viti	nr. fori	Kg.
15	65516015	17,00	65	95	16	14	M12	4	0,81
20	65516020	24,34	75	105	18	14	M12	4	1,14
25	65516025	28,78	85	115	18	14	M12	4	1,38
32	65516032	36,61	100	140	18	18	M16	4	2,03
40	65516040	46,30	110	150	18	18	M16	4	2,35
50	65516050	56,24	125	165	18	18	M16	4	2,88
65	65516065.4F	67,99	145	185	18	18	M16	4	3,51
65	65516065	67,99	145	185	18	18	M16	8	3,51
80	65516080	84,03	160	200	20	18	M16	8	4,61
100	65516100	99,37	180	220	20	18	M16	8	5,65
125	65516125	130,78	210	250	22	18	M16	8	8,13
150	65516150	180,47	240	285	22	22	M20	8	10,50
200	65516200	300,77	295	340	24	22	M20	12	16,20
250	65516250	502,16	355	405	26	26	M24	12	25,00
300	65516300	706,13	410	460	28	26	M24	12	35,10